Public Notice

Applicant:

Date:

Cuyahoga Valley National Published: February 1, 2002

Park

Expires: March 1, 2002

U.S. Army Corps of Engineers

In Reply Refer To:

Buffalo District CELRB-CO-R RE: 2002-00477(0) Section: OH 10 and 404

Application for Permit under Authority of Section 10 of the Rivers and Harbors Act of 1899 and Section 404 of the Clean Water Act (33 U.S.C. 1344).

The Cuyahoga Valley National Park, National Park Service, 15610 Vaughn Road, Brecksville, Ohio 44141, has applied for Department of the Army permit to work and place fill in the waters of the Cuyahoga River within the Cuyahoga Valley National Park. project is located approximately 3,500 feet South of the intersection of the Ohio and Erie Canal Towpath and Highland Road, in the Township of Sagamore Hills, Cuyahoga County, Ohio.

Department of the Army Authorization is required to place approximately 150 cubic yards (CY) of ODOT type "B" riprap below the ordinary high water mark (OHW) of the Cuyahoga River and install a temporary road crossing.

The project consists of the following:

- Constructing seven (7) spurs perpendicular to the flow of the Cuyahoga River. The spurs will act like groins to collect sediments to stabilize the river bank. The spurs will be spaced approximately 90 to 120 feet apart and extend waterward up to a maximum of 30 feet from the bank. The approximate amount of fill below the OHW for each spur is: Spur 1 - 23.0 CY; Spur 2 - 19.7 CY; Spur 3 - 15.4 CY; Spur 4 - 15.1 CY; Spur 5 - 17.1 CY; Spur 6 -15.1 CY; Spur 7 - 14.7 CY. See figure 3 of 7.
- Repair the existing 140 feet of riprap between spur 2 and 3. b.
- Construct a temporary crossing of an unnamed tributary of the Cuyahoga River for a temporary haul road to the construction site. In the place of the existing pedestrian bridge, three 36- inch diameter culverts and associated fill will be installed for the duration of the project. The crossing will be returned to pre-construction conditions at the completion of the project.

The purpose of the project is to stabilize an eroding river bank that is threatening the Historic Ohio and Erie Canal Towpath Trail.

Location and details of the above described work are shown on the attached maps and drawings.

Questions pertaining to the work described in this notice should be directed to Mark T. Lesinski, who can be contacted by calling (440) 437-5840, or by e-mail at: Mark.Lesinski@lrb01.usace.army.mil

The following authorization(s) may be required for this project:

Water Quality Certification (or waiver thereof) from the Ohio Environmental Protection Agency.

There is one registered historic property or a property listed as being eligible for inclusion in the National Register of Historic Places that will be affected by this project.

In addition, available evidence indicates that the proposed work will not affect a species proposed or designated by the U.S. Department of the Interior as threatened or endangered, nor will it affect the critical habitat of any such species.

This notice is promulgated in accordance with Title 33, Code of Federal Regulations, parts 320-330. Any interested party desiring to comment on the work described herein may do so by submitting their comments, in writing, so that they are received no later than 4:30 pm on the expiration date of this notice.

Comments should be sent to the U. S. Army Corps of Engineers, Orwell Field Office, 33 Grand Valley Avenue, Orwell, Ohio 44076, and should be marked to the attention of Mark T. Lesinski, or by e-mail at: Mark.Lesinski@lrb01.usace.army.mil. A lack of response will be interpreted as meaning that there is no objection to the work as proposed.

Comments submitted in response to this notice will be fully considered during the public interest review for this permit application. All written comments will be made a part of the administrative record which is available to the public under the Freedom of Information Act. The Administrative Record, or portions thereof may also be posted on a Corps of Engineers internet web site. Due to resource limitations, this office will normally not acknowledge the receipt of comments or respond to individual letters of comment.

Any individual may request a public hearing by submitting their written request, stating the specific reasons for holding a hearing, in the same manner and time period as other comments.


Public hearings for the purposes of the Corps permit program will be held when the District Commander determines he can obtain additional information, not available in written comments, that will aid him in the decision making process for this application. A Corps hearing is not a source of information for the general public, nor a forum for the resolution of issues or conflicting points of view (witnesses are not sworn and cross examination is prohibited). Hearings will not be held to obtain information on issues unrelated to the work requiring a permit, such as property ownership, neighbor disputes, or the behavior or actions of the public or applicant on upland property not regulated by the Department of the Army. Information obtained from a public hearing is given no greater weight than that obtained from written comments. Therefore, you should not fail to make timely written comments because a hearing might be held.

The decision to approve or deny this permit request will be based on an evaluation of the probable impact, including cumulative impacts of the proposed activity on the public interest. That decision will reflect the national concern for both protection and utilization of important resources. The benefits which reasonably may be expected to accrue from the proposal must be balanced against its reasonably foreseeable detriments. All factors which may be relevant to the proposal will be considered including the cumulative effects thereof; among these are conservation, economics, aesthetics, general environmental concerns, wetlands, historic properties, fish and wildlife values, flood hazards, flood plain values, land use, navigation, shoreline erosion and accretion, recreation, water supply and conservation, water quality, energy needs, safety, food and fiber production, mineral needs, considerations of property ownership, and in general, the needs and welfare of the people.

The Corps of Engineers is soliciting comments from the public; Federal, state and local agencies and officials; Indian Tribes; and other interested parties in order to consider and evaluate the impacts of this proposed activity. Any comments received will be considered by the Corps of Engineers to determine whether to issue, modify, condition or deny a permit for this proposal. To make this decision, comments are used to assess impacts on endangered species, historic properties, water quality, general environmental effects, and the other public interest factors listed above. Comments are used in the preparation of an Environmental Assessment and/or an Environmental Impact Statement pursuant to the National Environmental Policy Act. Comments are also used to determine the need for a public hearing and to determine the overall public interest of the proposed activity.

Paul G. Leuchner Chief, Regulatory Branch

NOTICE TO POSTMASTER: It is requested that this notice be posted continuously and conspicuously for 30 days from the date of issuance.



Cowwas Ro 2. CONTRACTOR MAY ACCESS WORK AREA FROM HIGHLAND ROAD.
THE CONTRACTING PRICES MALL PROVICE A KET FOR THE ACCESS
ROAD GATE AT HIGHLAND ROAD, CONTRACTOR MAL RETURN KET THE
CONTRACTING OFFICER UPON COMPLETION OF WORK. LIMITS OF NEW COTTON/WOOD POSTS 3. PLACE TYPE I SIGN AT TOWPATH TRUIL AND BOSTON MILLS ROAD. 6. COMPACTOR MAY ELECT TO NEEP PEDSTRAM BROOG IN PLACE AND USE CONSTRUCTION PROJECTS THAT DO NOT EXCED THE BROOG'S 16 TOM LOAD UNIT, CONTRACTOR IS RESPONSIBLE FOR RESTITIONAD BROOG TO PRE-PROJECTI COMPINIOR. 4. THE CONTRACTOR MAY USE THE AREA ADMICTOR TO THE ADMINISCHED PROBLED AS A STAGNON BAZE. THE CONTRACTOR MAY REQUEST USE OF THE FIDICID IN MASS, OF THE PAPER MAY TO STORE CHOUNDED! A COT WILL SE PROVICED BY THE CONTRACTING OFFICIAN PROCESSARY, CONTRACTION MAY RECURE ALL RELIES. GEN. PLAN & LEGEND
ONG & DECOND
NOTE BASE STANDARD
AT STANDARD
AT STANDARD LIMITS OF NEW VEGETATION
REMFORCED SOIL SYSTEM PROTECTION ROCK TOP OF ERCOED BANK CONSTRUCTION FENCE SURVEYED BASELINE SURVEY BENCHMARK EXISTING COUNTOUR EXISTING TOWPATH TILL OF SHEET EDGE OF WATER 1. YENTICAL CONTROL IS BASED ON LOCAL DATUM. SET FENCE 8 2 HORIZONTAL CONTROL IS ASSUMED. 1. SEE SHEET 8 FOR SIGN DETAILS. * * * * DALANA PPE PPE TECH REVE'N: 199A DAIT NOVEDMENT STOY EEEGMANN
associates
Progness Articles COMBA B. B. ۵ GRAPHIC SCALE ů STACING AREA GENERAL PLAN No. of TYPE 1 SIGN BRECKSYILLE W22-2 MOD 2000 3

CUYAHOGA VALLEY NATIONAL PARK D/A Processing No. 2002-00477(0) Cuyahoga County, Ohio Quad: NORTHFIELD Sheet 2 of 7

Securio so. BOSES Pis 940+00 SITE PLAN
THE REAL STATE AND THE AND TH P. d 8 8Ce. CP (5 (STAME) TOWPATH (UNPAVED) TILL OF SPEED Carried of the Carrie COSTING TOWNSH --• CP \$2 (STAKE) SUB SPECT NO. GRAPHIC SCALE (IN PRET) DAMPNE STORY REVENUE Sheet 3 of 7 EXISTING TOWPATH (SEE NOTE 43) E STONE BERGMANN
associates
Engineen/Archisots/Berreport The state of the s TWO ROWS OF COTTONWOOD POSTS, 5'--0" ON CENTER 3. THE CONTRACTOR MAY CONSTRUCT A HALL ROUD OR MAY USE THE EDSTRONG THE PARTH TRUL. FOR CONSTRUCTION YEACLES. THE CONTRACTOR MUST RESTORE THE TOWNARTH TRUL TO ITS PROPE CONDITION AT COMPLETION OF WORK. 2. LARGE WOODY DEBRES AT TOE OF SLOPE LUIST BE RELOCATED. SOUR WOODS TO CHANNELS SHULL BE PLACED ON ROCK SPUIST DI PROMOE HUSTIV. THE CONTENTING OFFICEN MAY ALLOW THE REJAMING DEBRIS TO BE PLACED IN THE CONTENT OF THE CHANNEL DOWNSTREAM OF THE WORK AREA. 1. WORK AREA SHALL BE CLEARED AND CRUBBED AS NECESSARY PRICH TO CONSTRUCTION OF REPAIRS. BENCH LAVAK #1 IS A LAVA HAL, IN AN ASH TREE 2' ABOVE GRUDE BO' SOUTH OF SPUR AT STA, 11+40 ON EAST SIDE OF TOWARTH ELEY, 881,88" SECTION LINE, TYP. N N WESTATION REPARATION VEGETATION REPARATION (SEE REPARATION (SEE REPARATION (SEE REPARATION)) PLAN NEW BANK SITE EXISTING EDGE OF WATER (8/15/01) STATION 940+00 SURVEYED BASELINE -CP #1 (STAVE) EXITING TOWPATH -- (SEE NOTE \$3) TOP OF ERCOCID BANK

CUYAHOGA VALLEY NATIONAL PARK D/A Processing No. 2002-00477(0) Cuyahoga County, Ohio Quad: NORTHFIELD Sheet 3 of 7


COLUMNO NO. STAGING AREA DETAILS GHO & BHIC CANAL YORKA'N THAL PHICK BANK STABLICATION AT STATION 940+00 PROMDE CONSTRUCTION FENCING ALONG WEST SIDE OF TOWPATH TILL OF SHEET - LIMITS OF TELPPORARY HAUL ROAD (SEE HOTE 1) APPROXIMATELY 600'LF. STAGING AREA ACCE NOT TO SCALE CAMBINE AND TECH REVEN: ISBN BERGAN ANN A SANCHER SERVICES PROPERTY OF THE PROPERTY OF T CONSTRUCTION STAGING AREA-PRE—FABRICATED PEDESTRAM BRIDGE-WAY BE TEMPORARILY REMOVED (SEE TEMPORARY CREEK CROSSING DETAIL & NOTES) Turrent of the second TEMPORARY EROSYON CONTINUE, FABRIC CONCRETE ABUTABAT TEMPORMRY FILL -TYPE 2 GEOTESTILE TEMPORARY FILL FROM OFF SITE SOURCES 8. FLOW IN THE CREDK IS INTERMITIVIT AND SHOULD NOT REQUIRE A DIVERSION TO CONSTRUCT TEMPORARY CROSSING. PROP. GRADE AT CREEK GRUNTELLARKYTSEPERTERINGETERREEK 1. THE CONTRACTOR LAY BLEDT TO INSTALL A TELEPOWNER HAVE, ROLD TO PROTECT TO THE PROJECT CONFLICING HONOR HAVE BE UPON PROJECT CONFLICING HONOR TO EXECUTIVE THE OFFI TO CONTRACT THAT AND PLESTIMAL BRIDGE TO CONTRACT ALL AND ADDITIONAL TO FEE CANDEST ALL AND ADDITIONAL SUPPLICED, RESTORED ALL AND ADDITIONAL SUPPLICED, RESTORED TO PARKET TO PRE-EXEMPLE CONDITIONED. AS DEFINED. -TOP OF BANK RIVER SIDE CONTRACTOR MAY REJOKE TOWNIH TRAIL PEDESTRAIN
BROZE, FOR DURINADOR OF PROLECTIC SAYL
OWINDTIAL, BRODE COMPANY (1-800-139-FOR PSTUCTIONS OF MOVED THE BRODE, CONTRACTOR
SAVL TWE MESSARES TO PRITECTIFRODE, SOHTS
AND ANCHOR BOLTS DURING THE TOWNING
AND ANCHOR BOLTS DURING THE TOWNING THE TOWNING
AND ANCHOR BOLTS DURING THE TOWNING 8. STOPE PED, BRIDGE AT PAPER WILL WHILE NOT IN USE. TEMPORARY CREEK CROSSING DETAIL TYPE III GEOTEXTILE 2. RESTORE STACING AREA TO PRE-EDISTING CONDITIONS UPON COMPLETION OF WORK. 3. COMPACTOR MAY ACCESS THE WORK AREA FROM HIGHLAND ROAD, THE COMPACTING OFFICER WILL PROVICE THE KEY TO THE GATE AT HIGHLAND ROAD, TEMPORARY HAUL ROAD SECTION Press of overline E HAUL ROAD 30%5 7G MUTE:
REMOYE & RESTONE TO PROP COMUNION UPON COMPLETION EXING TOWNATH TRAL (NOT REQUIRED TO BE INSTALLED OVER THE TOWNATH) WITH. S" THICK NO. 1 & NO. 2 AGG.-VARIES MPL OF 1' OF NO. 1 & NO. 2 ACCRECATE OVER CONCRETE ABUTABUTS CONCRETE ABUTABLE-TOP OF BANK CANAL SIDE __

Cuyahoga County, Ohio Quad: NORTHFIELD

Sheet 4 of 7

CUYAHOGA VALLEY NATIONAL PARK

D/A Processing No. 2002-00477(0)



Cuyahoga County, Ohio Quad: NORTHFIELD CUYAHOGA VALLEY NATIONAL PARK D/A Processing No. 2002-00477(0) ZMIITAV3.II **EXETTIONS** Sheet 6 of 7 ZHOTTAV3_3 + 33 52 2 3 8 2 3 g 8 3 8 Š Š 3 3 643 640 8 Š 2MOTTAV3_G 2 1 3 8 83 S 3 - 2 8/13/20 VATER LEVEL ELEV. 633.00 633.00 LEVE DEV. 630 A 8/15/01 VATER LEVEL FLEY. 밁 The room sier, esses THE PLOOP BLOY 638-83 A BOSTAL WATER BAIS/01 VATER LEVEL 15 TR FLOW DLY, 63883 77 86 STA. 9+10 27A, 10+00 70 80 STA, 10+70 70 80 STA 11+40 PROTECTION STORE SPUR DETAIL ON SHEET S NOTE SEE TIPICAL SPUR DETAIL ON SPEET SPUR DETAIL ON TOWN UP NOTE SEE REPAIR NOTE SEE TYPICAL NOTE SEE 1 ż ġ 3 ĝ ŝ Ŕ 8 ġ 6557 ż 8 Š ŝ 8 643 640 Ŗ 8 Š 3 ij 8 ġ

ELEVATIONS

ELEVATIONS

ELEVATIONS

2MITTAV3.I3

BERGMANN NOW CONTROL STATE OF THE STATE OF T

DRUMPS NO.

